



GARDEN MASTER[®]

SHEDS ■ AVIARIES ■ SHADEHOUSES ■ HOTHOUSES

Quality Product Range Manufactured in South Australia

AUGUST 2009




GARDEN MASTER[®]
10 YEAR GUARANTEE

5 GOOD REASONS

GARDEN MASTER®

YOUR GUARANTEE OF SATISFACTION



EASY TO ASSEMBLE - JOIN AT THE CORNERS



FASTEN THE ROOF - AND FIRMLY ANCHOR THE SHED TO THE GROUND



1. QUALITY AND STRENGTH

using deep ribbed, high tensile zinc or colour steel sheeting and heavy gauge channel section. Manufactured to engineered specifications and laboratory tested for your peace of mind. Doors are double braced with tube for extra security.

2. EASY TO ASSEMBLE

pre-finished panels make products simple to install. We do as much as possible in the factory to make your job simpler and to save you time and hassles. Professional installation service is available in metro and nearby areas.

3. ADAPTABLE DESIGN

to suit your position and storage requirements. Choose from our large range of options and colours.

4. PROMPT SERVICE

from locally based manufacturing centre with a proven service record since 1975.

5. 10 YEAR GUARANTEE*

on our workmanship and materials as set out in our installation instructions.

*Conditions apply

FLAT ROOF SHEDS

VERSATILE DESIGN

allows door positions and other options to be altered. See page 15.

5 PANELS

prefinished in our factory makes for very simple assembly on site.

FLAT ROOF SHED SPECIFICATIONS

Wall height 1.83m

Size (Metres)	Colour/	
	Zinc	Galv Trim
0.78 x 0.78	FSHA 0707	FSHC 0707
1.53 x 0.78	FSHA 1507	FSHC 1507
2.27 x 0.78	FSHA 2207	FSHC 2207
3.02 x 0.78	FSHA 3007	FSHC 3007
1.53 x 1.53	FSHA 1515	FSHC 1515
1.83 x 1.53	FSHA 1815	FSHC 1815
2.27 x 1.53	FSHA 2215	FSHC 2215
3.02 x 1.53	FSHA 3015	FSHC 3015
3.76 x 1.53	FSHA 3715	FSHC 3715

*Roof overhangs these sizes, up to 300mm. Please check if this is critical.

EASY STORE SHED SPECIFICATIONS

Include 1.53m double doors and 2 full width shelves as standard. Wall height 1.83m


Size (Metres)	Colour/	
	Zinc	Galv Trim
1.53 x 0.78	EASYA 153	EASYC 153
2.27 x 0.78	EASYA 227	EASYC 227
3.02 x 0.78	EASYA 302	EASYC 302



1.53 X 0.78M (FSHC 1507)



3.02 X 0.78M (FSHC 3007)
WITH OPTIONAL DOUBLE DOORS (DDOOR 153)



2.27 X 0.78M (EASYC 227)

GABLE ROOF SHEDS



2.27 X 2.27M (GSHC 2222)



3.02 X 3.02M (GSHA 3030)
WITH OPTIONAL WINDOW (WINDOW ZA)



3.76 X 3.02M (GSHA 3730)
WITH OPTIONAL WINDOW (WINDOW ZA)
AND DOUBLE DOORS (DDOOR 153)

POPULAR STYLE

with a large range of sizes in zinc or colour.

6 PANELS

preassembled in the factory for simple installation.

SECURE

storage with strong panels, heavy gauge ridge beam and double braced door for your peace of mind.

OPTIONS AT EXTRA COST

including extra height, lockable door and others are detailed on page 15.

GABLE ROOF SHED SPECIFICATIONS

Wall height 1.83m

Gable height in brackets

Size (Metres)	Colour/	
	Zinc	Galv Trim
1.53 x 1.53 x (1.96)	GSHA 1515	GSHC 1515
2.27 x 1.53 x (1.96)	GSHA 2215	GSHC 2215
3.02 x 1.53 x (1.96)	GSHA 3015	GSHC 3015
3.76 x 1.53 x (1.96)	GSHA 3715	GSHC 3715
2.27 x 2.27 x (2.03)	GSHA 2222	GSHC 2222
3.02 x 2.27 x (2.03)	GSHA 3022	GSHC 3022
3.76 x 2.27 x (2.03)	GSHA 3722	GSHC 3722
3.02 x 3.02 x (2.09)	GSHA 3030	GSHC 3030
3.76 x 3.02 x (2.09)	GSHA 3730	GSHC 3730
3.76 x 3.76 x (2.16)	GSHA 3737	GSHC 3737

*Roof overhangs these sizes, up to 150mm.

GABLE/TRUSS ROOF SHEDS

LARGER SIZES

for the workshop with plenty of storage space.

PREASSEMBLED PANELS

10 panels and 2 heavy duty ridge beams plus a prefabricated tubular truss adds up to a simple to install structure with double braced doors for extra security and strength.

OPTIONS AT EXTRA COST

such as door position, double doors and many others are detailed on page 15.

GABLE / TRUSS ROOF SHED SPECIFICATIONS

Wall height 1.83m

Gable height in brackets

Size (Metres)	Zinc	Colour/ Galv Trim
4.50 x 1.53 x (1.96)	TSHA 4515	TSHC 4515
5.25 x 1.53 x (1.96)	TSHA 5215	TSHC 5215
6.00 x 1.53 x (1.96)	TSHA 6015	TSHC 6015
4.50 x 2.27 x (2.03)	TSHA 4522	TSHC 4522
5.25 x 2.27 x (2.03)	TSHA 5222	TSHC 5222
6.00 x 2.27 x (2.03)	TSHA 6022	TSHC 6022
4.50 x 3.02 x (2.09)	TSHA 4530	TSHC 4530
5.25 x 3.02 x (2.09)	TSHA 5230	TSHC 5230
6.00 x 3.02 x (2.09)	TSHA 6030	TSHC 6030
4.50 x 3.76 x (2.16)	TSHA 4537	TSHC 4537
5.25 x 3.76 x (2.16)	TSHA 5237	TSHC 5237
6.00 x 3.76 x (2.16)	TSHA 6037	TSHC 6037
6.76 x 3.76 x (2.16)	TSHA 6737	TSHC 6737
7.49 x 3.76 x (2.16)	TSHA 7437	TSHC 7437

*Roof overhangs these sizes, up to 150mm.

Council approval may be required for some sizes.



4.50 X 3.02M (TSHC 4530)
WITH OPTIONAL WINDOW (WINDOW CO)



ROOF TRUSS



6.0 X 3.76M (TSHC 6037) PICTURED
WITH OPTIONAL WINDOW (WINDOW CO) AND
2.4M DOUBLE DOOR IN GABLE
AND EXTRA PA. DOOR (DDGED 240)
AVAILABLE AT EXTRA COST

FEDERATION SHEDS

HERITAGE ROOF

gives impressive style and extra storage space with 30 degree pitch, overhanging eaves, barges and finials.



2.27 X 1.53M (FEDC 2215)
WITH OPTIONAL WINDOW (WINDOW CO)



3.02 X 2.27M (FEDC 3022)
WITH OPTIONAL WINDOW (WINDOW CO)



CLOSE UP OF FINIAL AND BARGES

QUALITY FINISH

will add solid value to your property.

COLOUR TRIM

in Tuscan Red, Caulfield Green or Smooth Cream is standard with coloured models.

6 PANELS

and heavy gauge roof support are supplied for simple installation. Models 4.5m or longer have 10 panels and prefabricated steel truss.

SIZE RANGE

suits from the small townhouse yard up to a large workshop.

FEDERATION SHED SPECIFICATIONS

Size (Metres)	Zinc	Colour/ Colour Trim
1.53 x 0.78 x (2.10)	FEDA 1507	FEDC 1507
1.53 x 1.53 x (2.30)	FEDA 1515	FEDC 1515
2.27 x 1.53 x (2.30)	FEDA 2215	FEDC 2215
3.02 x 1.53 x (2.30)	FEDA 3015	FEDC 3015
3.76 x 1.53 x (2.30)	FEDA 3715	FEDC 3715
2.27 x 2.27 x (2.50)	FEDA 2222	FEDC 2222
3.02 x 2.27 x (2.50)	FEDA 3022	FEDC 3022
3.76 x 2.27 x (2.50)	FEDA 3722	FEDC 3722
4.50 x 2.27 x (2.50)	FEDA 4522	FEDC 4522
5.25 x 2.27 x (2.50)	FEDA 5222	FEDC 5222
6.00 x 2.27 x (2.50)	FEDA 6022	FEDC 6022
3.02 x 3.02 x (2.70)	FEDA 3030	FEDC 3030
3.76 x 3.02 x (2.70)	FEDA 3730	FEDC 3730
4.50 x 3.02 x (2.70)	FEDA 4530	FEDC 4530
5.25 x 3.02 x (2.70)	FEDA 5230	FEDC 5230
6.00 x 3.02 x (2.70)	FEDA 6030	FEDC 6030

*Roof overhangs these sizes, up to 150mm.

SKILLION ROOF SHEDS

TRADITIONAL STYLE

with roof sloping to the rear.

EXTRA HEADROOM

at the front for improved access and increased storage.

5 PANELS

supplied for simple and quick installation. Models with 2.27m depth or more are supplied with an unassembled roof and heavy gauge roof support.

OPTIONS AT EXTRA COST

specific to site requirements such as door in skillion end or reverse slope roof are available. For further details and other options see page 15.

SKILLION ROOF SHED SPECIFICATIONS

Front wall height 1.96m
Rear wall height 1.83m

Size (Metres)	Zinc	Colour/ Galv Trim
1.53 x 1.53	SKLA 1515	SKLC 1515
2.27 x 1.53	SKLA 2215	SKLC 2215
3.02 x 1.53	SKLA 3015	SKLC 3015
3.76 x 1.53	SKLA 3715	SKLC 3715
1.53 x 1.83	SKLA 1518	SKLC 1518
2.27 x 1.83	SKLA 2218	SKLC 2218
3.02 x 1.83	SKLA 3018	SKLC 3018
3.76 x 1.83	SKLA 3718	SKLC 3718
2.27 x 2.27	SKLA 2222	SKLC 2222
3.02 x 2.27	SKLA 3022	SKLC 3022
3.76 x 2.27	SKLA 3722	SKLC 3722
3.02 x 3.02	SKLA 3030	SKLC 3030
3.76 x 3.02	SKLA 3730	SKLC 3730

*Roof overhangs these sizes, up to 300mm.



1.53 X 1.83M (SKLC 1518)
WITH OPTIONAL DOOR IN SKILLION SIDE (DOOR SKIL)



2.27 X 1.53M (SKLC 2215)
WITH OPTIONAL DOUBLE DOOR (DDOOR 153)



3.02 X 1.53M (SKLC 3015)
WITH OPTIONAL WINDOW (WINDOW CO)

FLAT ROOF AVIARIES / CAT RUNS / KENNELS

SUITS PETS

such as birds, cats, dogs etc.

MESH

used is 12.5 x 12.5 x 1.3mm galvanised heavy mesh.
Other mesh options available P.O.A



MARK 1 (FLAT ROOF) 1.53 X 0.78M ZINC (FA1A 1507)



MARK 2 (FLAT ROOF) 2.27 X 1.53M COLOUR (FA2C 2215)



MARK 3 (FLAT ROOF) 3.02 X 1.5M ZINC (FA3A 3015)

DOORS

are 1200mm high and have a padbolt and extra latch for inside/outside closure.
Full height door is available as an option for (DOOR FH18).

DIVIDERS

and extra door are an optional extra to create compartments. (P.O.A.)

MARK 1 (FLAT ROOF)

Size (Metres)	Zinc	Colour/ Galv Trim
1.53 x 0.78	FA1A 1507	FA1C 1507
1.53 x 1.53	FA1A 1515	FA1C 1515

*Roof overhangs these sizes, up to 300mm.

MARK 2 (FLAT ROOF)

Size (Metres)	Zinc	Colour/ Galv Trim
1.53 x 1.53	FA2A 1515	FA2C 1515
2.27 x 1.53	FA2A 2215	FA2C 2215
3.02 x 1.53	FA2A 3015	FA2C 3015
3.76 x 1.53	FA2A 3715	FA2C 3715

*Roof overhangs these sizes, up to 300mm.

MARK 3 (FLAT ROOF)

Size (Metres)	Zinc	Colour/ Galv Trim
1.53 x 0.78	FA3A 1507	FA3C 1507
1.53 x 1.53	FA3A 1515	FA3C 1515
2.27 x 1.53	FA3A 2215	FA3C 2215
3.02 x 1.53	FA3A 3015	FA3C 3015
3.76 x 1.53	FA3A 3715	FA3C 3715

*Divider and second door available

FADA 1500 FADC 1500

*Roof overhangs these sizes, up to 300mm.

GABLE ROOF AVIARIES / CAT RUNS / KENNELS

COMPLETE

panels are supplied with doors and mesh fitted ready for easy assembly. Bird proofing strips are supplied to ensure aviary will suit small bird species.

MARK 1 (GABLE ROOF)

Size (Metres)	Zinc	Colour/ Galv Trim
1.53 x 0.78	GAIA 1507	GAIC 1507
1.53 x 1.53	GAIA 1515	GAIC 1515

*Roof overhangs these sizes, up to 150mm.

MARK 2 OR 3 (GABLE ROOF)

Size (Metres)	Zinc	Colour/ Galv Trim
1.53 x 1.53	GAXA 1515	GAXC 1515
2.27 x 1.53	GAXA 2215	GAXC 2215
3.02 x 1.53	GAXA 3015	GAXC 3015
3.76 x 1.53	GAXA 3715	GAXC 3715
4.50 x 1.53	GAXA 4515	GAXC 4515
5.25 x 1.53	GAXA 5215	GAXC 5215
6.00 x 1.53	GAXA 6015	GAXC 6015

*1.53m divider and door available

2.27 x 2.27	GAXA 2222	GAXC 2222
3.02 x 2.27	GAXA 3022	GAXC 3022
3.76 x 2.27	GAXA 3722	GAXC 3722
4.50 x 2.27	GAXA 4522	GAXC 4522
5.25 x 2.27	GAXA 5222	GAXC 5222
6.00 x 2.27	GAXA 6022	GAXC 6022

*2.27m divider and door available

3.02 x 3.02	GAXA 3030	GAXC 3030
3.76 x 3.02	GAXA 3730	GAXC 3730
4.50 x 3.02	GAXA 4530	GAXC 4530
5.25 x 3.02	GAXA 5230	GAXC 5230
6.00 x 3.02	GAXA 6030	GAXC 6030

*3.02m divider and door available

3.76 x 3.76	GAXA 3737	GAXC 3737
4.50 x 3.76	GAXA 4537	GAXC 4537
5.25 x 3.76	GAXA 5237	GAXC 5237
6.00 x 3.76	GAXA 6037	GAXC 6037

*3.76m divider and door available

OPTIONS

Full height aviary door (DOOR FH18), door in gable (DOOR GABL). Smooth Cream, Caulfield Green or Tuscan Red trim +10%, other colours +25%. Mesh position variation - P.O.A.



MARK 1 GABLE ROOF 1.53 X 1.53M COLOUR (GAIC 1515) WITH OPTIONAL COLOURED CHANNEL FOR 10% EXTRA



MARK 2 GABLE ROOF 2.27 X 2.27M COLOUR (GAXC 2222) WITH OPTIONAL MESH IN ROOF P.O.A.



MARK 3 GABLE ROOF 3.02 X 2.27M COLOUR (GAXC 3022) WITH OPTIONAL MESH IN ROOF (P.O.A.) AND COLOURED CHANNEL FOR 10% EXTRA

FOWL SHEDS



3.02 X 1.53M FOWL SHED - FLAT ROOF COLOUR (FOFC 3015)



2.27 X 2.27M FOWL SHED - GABLE ROOF ZINC (FOGA 2222)

FULL HEIGHT DOOR

for ease of access and one panel of mesh for well protected and economical housing for fowls.

SPECIAL CUSTOM MODELS

VERSATILE DESIGN

enables position of mesh, number of dividers and doors to be varied to specific requirements.



FOWL SHED FLAT ROOF SPECIFICATIONS

Wall height 1.83m

Size (Metres)	Zinc	Colour/
		Galv Trim
1.53 x 1.53	FOFA 1515	FOFC 1515
2.27 x 1.53	FOFA 2215	FOFC 2215
3.02 x 1.53	FOFA 3015	FOFC 3015
3.76 x 1.53	FOFA 3715	FOFC 3715
Div. 2nd Door	FODA 1500	FODC 1500

GABLE ROOF MODEL

for the larger sizes in the range. Note the door position and the availability of the door in the gable end if required for an additional charge.

FOWL SHED GABLE ROOF SPECIFICATIONS

Wall height 1.83m

Gable height in brackets

Size (Metres)	Zinc	Colour/
		Galv Trim
2.27 x 2.27 x (2.03)	FOGA 2222	FOGC 2222
3.02 x 2.27 x (2.03)	FOGA 3022	FOGC 3022
3.76 x 2.27 x (2.03)	FOGA 3722	FOGC 3722
3.02 x 3.02 x (2.09)	FOGA 3030	FOGC 3030
3.76 x 3.02 x (2.09)	FOGA 3730	FOGC 3730



EXAMPLES OF EXTRA BANKS, FLIGHT AREA, COMPARTMENTS AND DOORS

HEX AVIARIES & A FRAMES

POPULAR STYLE

complements any setting for attractive display of your birds or other pets.

HEXAGONAL AVIARIES SPECIFICATIONS

Wall height 1.83m
(size is the approximate diameter)

Size (Metres)	Zinc	Colour/ Galv Trim
1.00 Mini-Hex	HEXA 1000	HEXC 1000
1.55 Standard	HEXA 1550	HEXC 1550
1.95 Large-Hex	HEXA 1950	HEXC 1950
2.50 Super-Hex	HEXA 2500	HEXC 2500

SQUARE AVIARIES SPECIFICATIONS

TWO MODELS

and the option of a floor and tray gives a very convenient compact unit.

Size (Metres)	Zinc	Colour/ Galv Trim
0.78 x 0.78 Flat Roof	SQFA 0707	SQFC 0707
0.78 x 0.78 Pyramid Floor & Tray	SQPA 0707 SQFT 0707	SQPC 0707



1.53M 'A' FRAME (AFRC 1530) WITH OPTIONAL MESH FLOOR (AFMF 1530) AND INTERNAL DOOR (AFRI DOOR)

SIMPLE ASSEMBLY

of pre-finished panels and carton packaging of the smaller models for your convenience.



1.5M HEXAGONAL AVIARY (HEXC 1550) WITH OPTIONAL COLOURED MESH (P.O.A.) AND CHANNELS FOR 10% EXTRA



SQUARE AVIARY - FLAT ROOF (SQFC 0707)



SQUARE AVIARY - PYRAMID ROOF (SQPC 0707)

'A' FRAME AVIARY

TRADITIONAL AND RELOCATABLE

animal shelters are available in 2 sizes and a range of options as listed. Suits small poultry, rabbits, guinea pigs or other small animals.

'A' FRAME AVIARY SPECIFICATIONS

Size	Zinc	Colour	Mesh Floor
1.53m long	AFRA 1530	AFRC 1530	AFMF 1530
2.27m long	AFRA 2270	AFRC 2270	AFMF 2270
Internal door	AFRIDOOR		

SHADEHOUSES



3.02 X 3.02M SHADEHOUSE GABLE ROOF (SDGC 3030)

PROTECT YOUR PLANTS

Gardenmaster Shadehouses offer an ideal environment for the cultivation of plants and seedlings. They are designed to protect them from harsh summer heat and cold winter wind and frost. The knitted shade cloth repels hail, will not rot or mildew and is unaffected by horticultural chemicals, fertilisers and sprays. The 70% sun block factor provides a cool environment, while maintaining moisture and promoting fewer weeds and insects. It is fade resistant, UV stabilised and reinforced at the edges to resist fraying and tearing. All shadehouses are supplied pre-assembled with the panels fitted with the shade cloth making them quick

FLAT ROOF SPECIFICATIONS

Wall height 1.83m

Size (Metres)	Zinc	Colour/ GalvTrim
1.53 x 0.78	SDFA 1507	SDFC 1507
1.53 x 1.53	SDFA 1515	SDFC 1515
2.27 x 1.53	SDFA 2215	SDFC 2215
3.02 x 1.53	SDFA 3015	SDFC 3015
3.76 x 1.53	SDFA 3715	SDFC 3715

*Roof overhangs all sizes for Flat, Gable and Gable/Truss Shadehouses up to 300mm.

and easy to assemble. Attractive options include alternative shade cloth colour and density, Colour cladding and door position to suit your garden layout. Suitable for the cultivation of cut flowers, vegetables, ferns, orchids, seedlings and are ideal for hydroponics.

GABLE ROOF SPECIFICATIONS

Wall height 1.83m

Gable height in brackets

Size (Metres)	Zinc	Colour/ GalvTrim
2.27 x 2.27 x (2.03)	SDGA 2222	SDGC 2222
3.02 x 2.27 x (2.03)	SDGA 3022	SDGC 3022
3.76 x 2.27 x (2.03)	SDGA 3722	SDGC 3722
3.02 x 3.02 x (2.09)	SDGA 3030	SDGC 3030
3.76 x 3.02 x (2.09)	SDGA 3730	SDGC 3730
3.76 x 3.76 x (2.16)	SDGA 3737	SDGC 3737
4.50 x 2.27 x (2.03)	SDTA 4522	SDTC 4522
5.25 x 2.27 x (2.03)	SDTA 5222	SDTC 5222
6.00 x 2.27 x (2.03)	SDTA 6022	SDTC 6022
4.50 x 3.02 x (2.09)	SDTA 4530	SDTC 4530
5.25 x 3.02 x (2.09)	SDTA 5230	SDTC 5230
6.00 x 3.02 x (2.09)	SDTA 6030	SDTC 6030
4.50 x 3.76 x (2.16)	SDTA 4537	SDTC 4537
5.25 x 3.76 x (2.16)	SDTA 5237	SDTC 5237
6.00 x 3.76 x (2.16)	SDTA 6037	SDTC 6037

HOTHOUSES

FLAT ROOF SPECIFICATIONS

Wall height 1.83m

Size (Metres)	Zinc	Colour/ GalvTrim
1.53 x 0.78	HOFA 1507	HOFC 1507
1.53 x 1.53	HOFA 1515	HOFC 1515
2.27 x 1.53	HOFA 2215	HOFC 2215
3.02 x 1.53	HOFA 3015	HOFC 3015
3.76 x 1.53	HOFA 3715	HOFC 3715

GABLE ROOF SPECIFICATIONS

Wall height 1.83m

Gable height in brackets

Size (Metres)	Zinc	Colour/ GalvTrim
2.27 x 2.27 x (2.03)	HOGA 2222	HOGC 2222
3.02 x 2.27 x (2.03)	HOGA 3022	HOGC 3022
3.76 x 2.27 x (2.03)	HOGA 3722	HOGC 3722
3.02 x 3.02 x (2.09)	HOGA 3030	HOGC 3030
3.76 x 3.02 x (2.09)	HOGA 3730	HOGC 3730
4.50 x 2.27 x (2.03)	HOTA 4522	HOTC 4522
5.25 x 2.27 x (2.03)	HOTA 5222	HOTC 5222
6.00 x 2.27 x (2.03)	HOTA 6022	HOTC 6022
4.50 x 3.02 x (2.09)	HOTA 4530	HOTC 4530
5.25 x 3.02 x (2.09)	HOTA 5230	HOTC 5230
6.00 x 3.02 x (2.09)	HOTA 6030	HOTC 6030

*Roof overhangs all sizes for Flat, Gable and Gable/Truss Hothouses up to 300mm.

HEAVY DUTY PLANT STAND SPECIFICATIONS

Length

Style Shelf Height 1.44m 2.19m

1 Tier 600mm	TPS1 1440	TPS1 2190
2 Tier 600/400mm	TPS2 1440	TPS2 2190
3 Tier 800/600/400mm	TPS3 1440	TPS3 2190



2.27 X 2.27M HOTHOUSE GABLE ROOF - ZINC (HOGA 2222)

PROTECT YOUR PLANTS

Gardenmaster Hothouses are an attractive and economic alternative to the traditional glasshouse, while maintaining the correct environment for your plants. Premium quality woven PE sheeting is factory fitted to a Zinc or Color structure for maximum durability and convenience. Three year UV Warranty applies to sheeting in normal exposure conditions. See installation instructions. Ventilation is by the standard twin blade louvre and popular options include TIERED STANDS and different door positions to suit your garden layout.

TIERED STANDS



DISPLAY YOUR PLANTS TO PERFECTION
3 TIER 1.44M LONG PICTURED. SHELF HEIGHTS
800/600/400MM (TPS3 1440)

HEAVY DUTY FRAME KITS

WELDED GALVANISED CONSTRUCTION

Strong 50x50 galvanised posts at each corner and either side of the door. Galvanised 38x25 wall rails slot onto welded brackets. Posts can be anchored to concrete slab.

Kits 4.50m or larger include intermediate wall posts and total of 3 roof trusses. All hinged doors include security kits and doorlocks.



OPTIONS

Frames are custom designed to suit your shed including door positions. Extra height walls available see page 15. Kits suit all styles of shed.

HEAVY DUTY FRAME KITS SPECIFICATIONS

Wall height 1.83m

Size (Metres) **Galvanised**

1.53 x 0.78	STFR 1507
2.27 x 0.78	STFR 2207
3.02 x 0.78	STFR 3007
1.53 x 1.53	STFR 1515
1.83 x 1.53	STFR 1815
2.27 x 1.53	STFR 2215
3.02 x 1.53	STFR 3015
4.50 x 1.53	STFR 4515
5.25 x 1.53	STFR 5215
6.02 x 1.53	STFR 6015
2.27 x 1.83	STFR 2218
3.02 x 1.83	STFR 3018
3.76 x 1.83	STFR 3718
2.27 x 2.27	STFR 2222
3.02 x 2.27	STFR 3022
3.76 x 2.27	STFR 3722
4.50 x 2.27	STFR 4522
5.25 x 2.27	STFR 5222
6.00 x 2.27	STFR 6022
3.02 x 3.02	STFR 3030
3.76 x 3.02	STFR 3730
4.50 x 3.02	STFR 4530
5.25 x 3.02	STFR 5230
6.00 x 3.02	STFR 6030
3.76 x 3.76	STFR 3737
4.50 x 3.76	STFR 4537
5.25 x 3.76	STFR 5237
6.00 x 3.76	STFR 6037
6.76 x 3.76	STFR 6737
7.49 x 3.76	STFR 7437

CHEMICAL STORAGE SHEDS

COMPLETE KIT INCLUDES:

- Gable roof shed in either zinc sheeting or a choice of 10 colours.
- Precast Bunded floor made with reinforced concrete, inbuilt drain attachment fittings and shed anchor points.
- Rotating roof vent and two (2) fixed wall vents for cross flow venting.
- All components for simple DIY installation, including pre-assembled shed panels.
- Council approval may be required

CHEMICAL STORAGE SHED SPECIFICATIONS

Wall height 1.83m

Size (Metres)	Zinc	Colour/ Galv Trim	
2.27 x 1.53	CHMA 2215	CHMC 2215	
3.02 x 2.27	CHMA 3022	CHMC 3022	

CONCRETE SLAB SPECIFICATIONS

75mm concrete with 40mm bund, nominal holding capacity of 120 litres, 2 drains with 20mm female BSP in both 1.53 ends of slab. Slab weighs approx 700kg, comes on a pallet and is fully reinforced. 3.02 x 2.27 shed is supplied with 2 concrete slabs and standard with double doors as illustrated.

Options

Signkit CHEM SIGN
(Includes Non Smoking, Authorised Personnel Only, Class 3, 4.3, 6, 8 and 9)

Extra Wall Vent WALL VENT

Extra Roof Vent CHEM TURB
(Mill Finish, includes framed hole in roof)

Extra Wall Heights
1.96m high 2.27 x 1.53 CHEX 2215
1.96m high 3.02 X 2.27 CHEX 3022

Other options available, see page 15.



2.27 X 1.53M (CHMA 2215) WITH OPTIONAL EXTRA SIGN KIT (CHEM SIGN)



3.02 X 2.27M WITH DOUBLE DOOR, 2 SLABS (CHMA 3022) AND OPTIONAL EXTRA SIGN KIT (CHEM SIGN)



BUNDING TO MEET REQUIREMENTS FOR FIRE RESISTANT CHEMICAL SPILLAGE CONTAINMENT. NOMINAL CAPACITY - 120 LITRES PER BUND.

OPTIONAL EXTRAS

		ORDER CODE
DELIVERY TO SITE:	We recommend in the metro area delivery from our factory direct to site. A fee applies depending on site location in the metro area or nearby. Please check with your retailer.	DELIVERY
INSTALLATION:	A professional service is available for a fee and it includes the temporary anchor pegs or concrete anchors. It does not include site preparation or non-level sites. Must order delivery also.	INXXXXXX
DELIVERY TO CARRIER:	Will incur a pallet charge to comply with Occupational Health & Safety requirements at carriers' depots.	PALLET01
OPTIONS AT EXTRA COST INCLUDING GST		
WINDOWS:	5 blade louvre in Zinc Colour: See Picture 7. Surcharge if placed in a gable or skillion.	WINDOW ZA WINDOW CO WINDOW GB
DOUBLE DOORS:	Double door in front to give 1.53 metre opening. See Picture 4. Double door in gable panel to give 1.53 metre opening. Double door in gable panel to give 1.53 metre opening and single door in front. Double door in gable to give 2.40 metre opening. Double door in gable to give 2.40 metre opening and single door in front. See Picture 5.	DDOOR 153 DDGAB 153 DDGED 153 DDGAB 240 DDGED 240
SECURITY KIT:	Extra strength doors/frames and doorlock. See Picture 10.	SECUR KIT
SLIDING DOOR:	Single sliding door in front panel, In gable or skillion end. Double sliding door in front panel 1.50 metre wide, but NOT available in gable or skillion end or 1.53 or 2.27 fronts.	DSLID 078 DSLGA 078 DSDL 153
DOOR IN GABLE:	To shift standard door to gable end.	DOOR GABL
DOOR IN SKILLION:	To shift standard door to skillion end. (Reverse slope skillion- no charge).	DOOR SKIL
EXTRA DOOR:	For separate extra door in front, back or end. For separate extra door in gable.	DOOR EXFR DOOR EXGB
LOCKING DOOR:	T-shaped garage type door handle with 2 keys. See Picture 3. (Not with sliding door).	DOOR LOCK
SKYLIGHT:	One white 6oz fibreglass sheet replacement. Multiples are available. See Picture 2.	SKYLIGHT
SHELF KIT:	Three shelf set bracketed to hang from wall – shelf size 900mm x 250mm. See Picture 8. 1.50 metre single shelf and brackets to fasten to wall. 2.20 metre single shelf and brackets to fasten to wall. 3.00 metre single shelf and brackets to fasten to wall. See Picture 8.	SHELF KIT SHELF 15 SHELF 22 SHELF 30
COLOUR CHANNEL:	10% extra to cost of unit for Tuscan Red, Caulfield Green or Smooth Cream channel. See Page 8, Pictures 1 & 3. Other colours may be available for 25% extra to shed price.	COLOCHAN SPEC CHAN
HIGHER WALLS:	15% extra to cost of shed for 1.96 metre high and 15% extra to cost of installation if required. See Picture 4. Height of 2.10 metre also available for 25% extra to cost of shed and 25% extra to cost of installation, if required.	HIGH 1960 HIGH 2100
TC2 ANCHORS:	Bolt/nut/washer/bracket/dynabolt. 4 to 16 sets required depending on shed size. See Picture 6.	ANCHR TC2
ANCHOR PEGS:	Set of 350mm tent pegs. May be concreted for permanent fixing. See Picture 1.	ANCHR PEG
CONCRETE ANCHORS:	Set of 10mm X 50mm dynabolt and clips to fasten to a slab. See Picture 9.	ANCHR CON
NON STANDARD SIZES:	Priced from next largest size plus a cutting fee, we always work to rib - dimensions ie 150mm multiples.	SPEC SIZE

OPTIONAL EXTRAS



PICTURE 1 (ANCHR PEG)



PICTURE 2 (SKYLIGHT)



PICTURE 3 (DOOR LOCK)



PICTURE 4 (HIGH 1960)



PICTURE 5 (DDGED 240)



PICTURE 6 (ANCHRTC2)



PICTURE 7 (WINDOW CO)



PICTURE 8 (SHELF KIT)



PICTURE 9 (ANCHR CON)



PICTURE 10 (SECUR KIT)

GUTTER KITS



GUTTER & DOWNPIPE KIT

Kits include lowering of the door. We recommend one of the extra wall height options. See Page 15.

Each kit includes accessories for **one** side of the shed.

Installation is available if ordered with shed install. Extra charges will apply.

GUTTER & DOWNPIPE KITS

Includes all accessories including metal downpipe for **one** side of the shed.

Size (Metres)	Zinc	Colour
1.53	GUTA 1530	GUTC 1530
2.27	GUTA 2270	GUTC 2270
3.02	GUTA 3020	GUTC 3020
3.76	GUTA 3760	GUTC 3760
4.50	GUTA 4500	GUTC 4500
5.25	GUTA 5250	GUTC 5250
6.00	GUTA 6000	GUTC 6000
6.76	GUTA 6760	GUTC 6760
7.49	GUTA 7490	GUTC 7490



KIT WITH METAL DOWNPIPE

GUTTER KITS TO SUIT 75MM PVC DOWNPIPE

Includes all accessories including pop to suit 75mm PVC downpipe for **one** side of the shed.

Does **not** include PVC downpipe.

Size (Metres)	Zinc	Colour
1.53	GPVA 1530	GPVC 1530
2.27	GPVA 2270	GPVC 2270
3.02	GPVA 3020	GPVC 3020
3.76	GPVA 3760	GPVC 3760
4.50	GPVA 4500	GPVC 4500
5.25	GPVA 5250	GPVC 5250
6.00	GPVA 6000	GPVC 6000
6.76	GPVA 6760	GPVC 6760
7.49	GPVA 7490	GPVC 7490



KIT WITH 75MM POP TO SUIT PVC

COLOURS

SLATE GREY

MERINO

MOUNTAIN BLUE

TUSCAN RED

CAULFIELD GREEN

BRONZE OLIVE

SMOOTH CREAM

RIVER GUM

BEIGE

WHEAT

Please check actual colour samples prior to purchase as printing processes may not give correct colour shade.

Information and colours herein are intended to be a fair description. It does not constitute an offer by the manufacturer nor does the manufacturer guarantee its accuracy or completeness. Some of the sheeting used for photographic purposes is 5 rib whereas 6 rib is the type supplied. Gardenmaster® is a registered trademark. Options shown are at extra cost.

Additional freight charges may occur. Please check with your retailer.



SPECIFICATIONS FOR ORDERING

SHED SIZE _____ AVIARY SIZE _____ MODEL _____

SHADEHOUSE SIZE _____ HOTHOUSE SIZE _____

CLADDING ✓

Zinc Color _____ Standard (1.83m) 1.96m 2.1m

Trim & Channel Color _____ (Caufield Green, Smooth Cream or Tuscan Red) only.
Other colours - please inquire first. Zinc trim is standard except in federation models.

WALL HEIGHT MINIMUM ✓

ROOF TYPE ✓

*Roof overhangs plan dimensions up to 300mm, please refer to dealer if this is critical.

Flat  Skillion  Gable  Federation 

OPTIONS ✓


Site Delivery Site Delivery & Installation Louvre Window Heavy Duty Framing
 Sliding Door Door Lock Skylight Door In Gable Security Kit
 3 Shelf Kit 1.5m Double Door 2.4m Double Door Gutters
 Other _____ 2.4m Double Door in Gable & Extra PA Door

ANCHORING METHOD ✓






TC2 Kit Qty _____ Anchor Pegs Concrete Anchors

LAYOUT PLANNER

On the planner grid the space between lines represents one standard sheet width of 0.76m, and doors, windows and skylights are fitted in these spaces. In between positions may be available but at additional cost.



Your Gardenmaster Distributor

SYMBOLS	
	5 Blade Louvre Window
	Single Door
	1.5m Double Door
	Skylight (1 skylight in gable roof shed covers 1 sheet width from ridge to wall on one side)
	Aviary wire section